

SHARP®

PERSONAL COMPUTER

PC-3000/3100

Technical Reference Manual

Revision :1.000

Date : 24th April, 1992

SHARP CORPORATION

Copyright

(C) 1992 DIP Research Limited and Sharp Corporation.

The computer design described in this document is owned by DIP Research Limited and Sharp Corporation. All rights reserved.

Parts of this document are also copyrighted by and used with the permission of the Personal Computer Memory Card International Association (PCMCIA) and the Japan Electronic Industry Development Association (JEIDA).

This document contains or refers to proprietary information which is protected by copyright. All rights are reserved. Copying or other reproduction of this document is prohibited without the prior written permission of Sharp Corporation.

Trademarks

IBM PC, XT and AT are trademarks of International Business Machines Corporation.

Microsoft and MS-DOS are trademarks of Microsoft Corporation.

Intel is a trademark of Intel Corporation.

Lotus and Lotus 1-2-3 are trademarks of Lotus Development Corporation.

LapLink is a trademark of Traveling Software, Inc.

AT&T is a trademark of American Telephone and Telegraph Company.

Notice

Information in this manual is subject to change without notice and does not represent a commitment on the part of Sharp Corporation.

Sharp Corporation shall not be liable for technical or editorial errors or omissions contained herein; nor for incidental or consequential damages resulting from the furnishing, performance, or use of this material.

Table of Contents

PC-3000 Technical Reference Manual.....	1
PART 1: SOFTWARE.....	1
1. Operational Information.....	1
1.1 Undocumented Features	1
2. The BIOS.....	2
2.1 The Standard BIOS	2
2.1.1 Interrupts.....	2
2.1.2 Data Area.....	5
2.1.3 Vector Area.....	5
2.2 The Extended BIOS	7
2.2.1 Principle of operation.....	7
2.2.2 Service 0: System services.....	8
2.2.3 Service 1: Configuration.....	8
2.2.4 Service 2: CPU reset.....	9
2.2.5 Service 3: Power management.....	10
2.2.6 Service 4: Timer control.....	12
2.2.7 Service 6: Reserved	12
2.2.8 Service 8: LCD control.....	13
2.2.9 Service 9: DVC video.....	13
2.2.10 Service A: PCMCIA CCM.....	14
2.2.11 Service C: Tone generation.....	14
2.2.12 Service E: Peripherals.....	15
2.2.13 Service F: National support.....	16
2.2.14 Service 11: Passwords.....	16
2.2.15 Service 13: Battery control.....	16
2.2.16 Service 18: Miscellaneous.....	16
3. The Card Drives.....	18
3.1 Overview of the PCMCIA standard	18
3.2 The Card Information Structure (CIS)	18
3.3 The PC-3000 CIS	20
3.3.1 Link Target Control.....	21
3.3.2 Vers_2.....	21
3.3.3 Date.....	22
3.3.4 Format.....	22
3.3.5 Organisation.....	23
3.3.6 No Link.....	23
3.3.7 End of List.....	23
4. File Formats of built in PIMs software.....	24
4.1 SPREADSHEET	24
4.2 EDITOR	24
4.3 ADDRESS BOOK	25
4.4 DIARY	25
4.5 TODO	26

5. Diagnostic Software.....	27
6. Boot and Power On Self Test (POST).....	28
6.1 Common Boot Initialisation.....	28
6.2 Warm Boot Initialisation.....	28
6.3 Chilly Boot Initialisation.....	28
6.4 Cold Boot Initialisation.....	28
6.5 SRAM test.....	29
6.6 PSRAM test.....	29
6.7 Exercizing the Memory Mapper.....	29
6.8 Chip Sizing.....	29
6.9 Address Line Test.....	29
6.10 EMS Testing.....	29
6.11 Data Integrity Test.....	29
6.12 POST Error Codes.....	30
7. Power Management.....	31
7.1 Overview.....	31
7.2 Low Power Mode.....	31
7.2.1 Serial Port (LP SER).....	31
7.2.2 Parallel Port (LPPAR and LPPRF).....	31
7.2.3 Reserved.....	31
7.2.4 Keyboard (LPKBD).....	31
7.2.5 Timer ticks (LPTIM).....	31
7.2.6 Stop Processor (LPSTP).....	32
7.3 Power Management State.....	32
7.3.1 Auto Power Down Timer (COUNTSET).....	32
7.3.2 Keypress (KEYPRESS).....	32
7.3.3 Keyboard Looping (KEYLOOP).....	32
7.3.4 Keyboard Read (KEYWAIT).....	32
7.3.5 User Requested Power Down (USERREQ).....	32
7.3.6 Always Power Down (MUSTAPD).....	32
7.3.7 Force Power Down (FORCEPD).....	32
7.3.8 Inside POW_HLTPCLK (HLTPCLK).....	32
7.4 Keyboard Polling.....	33
7.5 Halting The Processor (HLTPCLK).....	33
7.6 Auto Power Down.....	33
7.7 Processor Clock Speed.....	34
7.8 Direct Power Switching.....	34
7.9 Timer Control Services.....	34
7.10 Reserved.....	34
PART 2: HARDWARE.....	35
8. General Information.....	35
9. Principles Of Operation.....	36
9.1 Introduction.....	36
9.2 Microprocessor.....	36
9.2.1 Clock.....	36
9.2.2 Minimum/maximum mode.....	36
9.3 ROM.....	36
9.4 RAM.....	36
9.5 Memory Cards.....	37
9.6 Interrupts.....	37

9.6.1	NMI Interrupts.....	37
9.6.2	Other Interrupts.....	38
9.7	Direct Memory Access (DMA)	38
9.8	System Expansion	39
9.9	Power Management	39
9.9.1	Power generation.....	39
9.9.2	Power monitoring.....	39
9.9.3	Power control.....	40
10.	System Information.....	41
10.1	Main Memory Map	41
10.2	Display Memory Map	42
10.3	System Block Diagram	42
10.4	I/O Address Map	43
10.5	Character Sets	44
11.	Main Board Unit.....	46
11.1	Processor [sharp]	46
11.2	The SPC ASIC	46
11.2.1	Block Diagram.....	47
11.2.2	SPC ASIC Pinouts.....	47
11.2.3	The SPC ASIC Control Registers.....	49
11.2.4	LIM EMS.....	51
11.2.5	Memory Mapping And Access Violations.....	51
11.2.6	Address Trapping.....	54
11.2.7	8237A DMA Controller (DMAC).....	54
11.2.8	Reset.....	54
11.2.9	8259 Programmable Interrupt Controller (PIC).....	54
11.2.10	8253 Programmable Interval Timer (PIT).....	55
11.2.11	8255 Programmable Peripheral Interface (PPI).....	55
11.2.12	Keyboard Interface.....	56
11.2.13	Timer.....	56
11.2.14	LCD Status.....	57
11.2.15	Clock Generation.....	58
11.3	The DVC ASIC	59
11.3.1	Block Diagram.....	59
11.3.2	Pinouts.....	60
11.3.3	The DVC ASIC Control Registers.....	61
11.3.4	D6845 Video Controller.....	62
11.3.5	Colour mapping.....	63
11.3.6	MDA Video Controller.....	64
11.3.7	CGA Video Controller.....	64
11.3.9	LCD Video Controller.....	64
11.3.10	Contrast Controller.....	64
11.9	Expansion Bus	65
11.9.1	Expansion Bus Pinouts.....	65
11.9.2	Timing.....	66
11.10	Memory Card Drives	66
11.10.1	Card Connector Pinouts.....	67
11.10.2	The Card Interface.....	68
11.10.3	The ROMP Register.....	69
11.11	Serial Input/Output Interface	69
11.12	Printer Interface	70
11.13	Sound Generation	70

12. Miscellaneous.....	71
12.1 Serial Wake up	71
12.1.1 Wake up by serial data/line.....	71
12.1.2 Wake up only by RI (Ringing Indicator).....	71
12.1.3 Control the serial port.....	72
12.1.3.1 Enable/Disable the serial port	72
12.1.3.2 Selecting the communication port	73
12.1.4 Turn off the machine.....	73
12.1.5 Turn on/off sample.....	73